


Hulunbuir History Museum data center testing platform

- 1、 System website:<http://192.168.2.101:8080/museum3.0/hlberlogin.jsp> Enter the system website address in the browser to enter the system login interface.as illustrated in following figure:



Enter account number: admin password: 11586qq click log in

- 2、 Log in to enter the system interface, as shown below:



In the left menu bar, the options include real-time data view, details view of each scene, historical data view, and permission management

- 3、 Click the real-time data for real-time data viewing, and the real-time data interface displays the real-time data and the equipment monitoring status, as shown in the figure below:

编号	温度(°C)	湿度(%)	操作	时间	状态
温湿度01	13.7	40.3	列表 趋势	2020-12-28 09:09:14	在线
温湿度02	12.7	41.2	列表 趋势	2020-12-28 09:14:36	在线
温湿度03	11.2	43.1	列表 趋势	2020-12-28 09:13:32	在线
温湿度04	12.3	45.2	列表 趋势	2020-12-28 09:11:54	在线
温湿度05	13.5	43.1	列表 趋势	2020-12-28 09:14:47	在线
温湿度06	12.4	50.1	列表 趋势	2020-12-28 09:11:15	在线
温湿度07	12.1	47.5	列表 趋势	2020-12-28 09:15:27	在线
温湿度08	12.4	43.2	列表 趋势	2020-12-28 09:17:25	在线
温湿度09	12.4	44.2	列表 趋势	2020-12-28 09:14:36	在线
温湿度10	13.8	41.2	列表 趋势	2020-12-28 09:10:07	在线
温湿度11	12.4	41.8	列表 趋势	2020-12-28 09:09:47	在线
温湿度12	12.4	47.2	列表 趋势	2020-12-28 09:12:03	在线
温湿度13	13.4	43.6	列表 趋势	2020-12-28 09:13:07	在线
温湿度14	13.4	41.5	列表 趋势	2020-12-28 09:13:07	在线

- 4、 Click the list in the operation item to pop up the device history data list, as shown in the figure below:

序号	设备地址	网关地址	温度	湿度	光照	时间
1	24e124127a274865	24e124ffffe894806	16.2°C	44%	0	2020-12-28 16:43:43
2	24e124127a274865	24e124ffffe894806	16.2°C	43.5%	0	2020-12-28 16:13:43
3	24e124127a274865	24e124ffffe894806	16.2°C	43%	0	2020-12-28 15:43:43
4	24e124127a274865	24e124ffffe894806	16.2°C	43%	0	2020-12-28 15:13:44
5	24e124127a274865	24e124ffffe894806	16.1°C	42.5%	0	2020-12-28 14:43:44
6	24e124127a274865	24e124ffffe894806	16°C	42.5%	0	2020-12-28 14:13:44
7	24e124127a274865	24e124ffffe894806	15.9°C	42%	0	2020-12-28 13:43:44
8	24e124127a274865	24e124ffffe894806	15.8°C	42%	0	2020-12-28 13:13:44
9	24e124127a274865	24e124ffffe894806	15.7°C	41.5%	0	2020-12-28 12:43:43
10	24e124127a274865	24e124ffffe894806	15.9°C	41%	0	2020-12-28 12:13:43
11	24e124127a274865	24e124ffffe894806	15.3°C	41%	0	2020-12-28 11:43:43
12	24e124127a274865	24e124ffffe894806	15°C	40.5%	0	2020-12-28 10:43:44
13	24e124127a274865	24e124ffffe894806	14.9°C	40.5%	0	2020-12-28 10:13:44
14	24e124127a274865	24e124ffffe894806	14.8°C	40%	0	2020-12-28 09:43:44
15	24e124127a274865	24e124ffffe894806	14.7°C	40%	0	2020-12-28 09:13:44
16	24e124127a274865	24e124ffffe894806	15.1°C	40%	0	2020-12-28 08:43:43
17	24e124127a274865	24e124ffffe894806	15.7°C	40.5%	0	2020-12-28 08:13:43
18	24e124127a274865	24e124ffffe894806	15.8°C	40.5%	0	2020-12-28 07:43:43
19	24e124127a274865	24e124ffffe894806	15.9°C	40.5%	0	2020-12-28 07:13:44
20	24e124127a274865	24e124ffffe894806	16°C	40.5%	0	2020-12-28 06:43:44

Click the time interval text box to view the data in the time interval:

温湿度历史值

设备地址: 时间区间:

序号	设备地址	网关地址	温度			
1	24e124127a274865	24e124ffffef0dd08	16.2℃	12-28 16:43:43		
2	24e124127a274865	24e124ffffef0dd08	16.2℃	12-28 16:13:43		
3	24e124127a274865	24e124ffffef0dd08	16.2℃	12-28 15:43:43		
4	24e124127a274865	24e124ffffef0dd08	16.2℃	12-28 15:13:44		
5	24e124127a274865	24e124ffffef0dd08	16.1℃	12-28 14:43:44		
6	24e124127a274865	24e124ffffef0dd08	16℃	12-28 14:13:44		
7	24e124127a274865	24e124ffffef0dd08	15.9℃	12-28 13:43:44		
8	24e124127a274865	24e124ffffef0dd08	15.8℃	42%	0	2020-12-28 13:13:44
9	24e124127a274865	24e124ffffef0dd08	15.7℃	41.5%	0	2020-12-28 12:43:43
10	24e124127a274865	24e124ffffef0dd08	15.5℃	41%	0	2020-12-28 12:13:43
11	24e124127a274865	24e124ffffef0dd08	15.3℃	41%	0	2020-12-28 11:43:43
12	24e124127a274865	24e124ffffef0dd08	15℃	40.5%	0	2020-12-28 10:43:44
13	24e124127a274865	24e124ffffef0dd08	14.8℃	40.5%	0	2020-12-28 10:13:44

5. Click the left menu repair room menu option under the details menu of repair room to pop up the repair room scene diagram, with the corresponding sensor for data monitoring, the right middle shows the average, as shown in the figure below:



Click the small green point on the schematic diagram, and pop up the sensor data monitoring window to display the real-time data, temperature value, humidity value and collection time, as shown in the figure below:



Click on the History Details to view the historical data of the sensor, as shown below:

温湿度历史值

设备地址: 时间区间: --

序号	设备地址	网关地址	温度	湿度	光照	时间
1	24e124127a274865	24e124ffffe0dd08	16.3℃	44.5%	0	2020-12-28 17:13:44
2	24e124127a274865	24e124ffffe0dd08	16.2℃	44%	0	2020-12-28 16:43:43
3	24e124127a274865	24e124ffffe0dd08	16.2℃	43.5%	0	2020-12-28 16:13:43
4	24e124127a274865	24e124ffffe0dd08	16.2℃	43%	0	2020-12-28 15:43:43
5	24e124127a274865	24e124ffffe0dd08	16.2℃	43%	0	2020-12-28 15:13:44
6	24e124127a274865	24e124ffffe0dd08	16.1℃	42.5%	0	2020-12-28 14:43:44
7	24e124127a274865	24e124ffffe0dd08	16℃	42.5%	0	2020-12-28 14:13:44
8	24e124127a274865	24e124ffffe0dd08	15.9℃	42%	0	2020-12-28 13:43:44
9	24e124127a274865	24e124ffffe0dd08	15.8℃	42%	0	2020-12-28 13:13:44
10	24e124127a274865	24e124ffffe0dd08	15.7℃	41.5%	0	2020-12-28 12:43:43
11	24e124127a274865	24e124ffffe0dd08	15.5℃	41%	0	2020-12-28 12:13:43
12	24e124127a274865	24e124ffffe0dd08	15.3℃	41%	0	2020-12-28 11:43:43
13	24e124127a274865	24e124ffffe0dd08	15℃	40.5%	0	2020-12-28 10:43:44
14	24e124127a274865	24e124ffffe0dd08	14.9℃	40.5%	0	2020-12-28 10:13:44
15	24e124127a274865	24e124ffffe0dd08	14.8℃	40%	0	2020-12-28 09:43:44
16	24e124127a274865	24e124ffffe0dd08	14.7℃	40%	0	2020-12-28 09:13:44
17	24e124127a274865	24e124ffffe0dd08	15.1℃	40%	0	2020-12-28 08:43:43
18	24e124127a274865	24e124ffffe0dd08	15.7℃	40.5%	0	2020-12-28 08:13:43
19	24e124127a274865	24e124ffffe0dd08	15.8℃	40.5%	0	2020-12-28 07:43:43
20	24e124127a274865	24e124ffffe0dd08	15.9℃	40.5%	0	2020-12-28 07:13:44


总记录数: 34 条 共 2 页 第 1 页 第 1 页

Click the trend analysis, the trend analysis chart of the sensor, the blue line represents the trend line of humidity, the red line indicates the trend line of temperature, and shows the maximum and minimum values in the form of bubble,


and the maximum value, minimum value and deviation value are also displayed below the trend chart, as shown in the figure below:




Click the time interval text box to view the trend in the time interval, as shown in the figure below:



6、 Drop the left menu and click the history analysis menu option to view the historical analysis list and trend analysis, as shown below:



Click the select platform drop-down box to screen the device



Select the start date for a history list and trend analysis view

温湿度历史值

设备地址:

时间区间: --

序号	设备地址	网关地址	温度	湿度	光照	时间
1	24e124127a274865	24e124fffeF0dd08	16.3℃	44.5%	0	2020-12-28 17:13:44
2	24e124127a274865	24e124fffeF0dd08	16.2℃	44%	0	2020-12-28 16:43:43
3	24e124127a274865	24e124fffeF0dd08	16.2℃	43.5%	0	2020-12-28 16:13:43
4	24e124127a274865	24e124fffeF0dd08	16.2℃	43%	0	2020-12-28 15:43:43
5	24e124127a274865	24e124fffeF0dd08	16.2℃	43%	0	2020-12-28 15:13:44
6	24e124127a274865	24e124fffeF0dd08	16.1℃	42.5%	0	2020-12-28 14:43:44
7	24e124127a274865	24e124fffeF0dd08	16℃	42.5%	0	2020-12-28 14:13:44
8	24e124127a274865	24e124fffeF0dd08	15.9℃	42%	0	2020-12-28 13:43:44
9	24e124127a274865	24e124fffeF0dd08	15.8℃	42%	0	2020-12-28 13:13:44
10	24e124127a274865	24e124fffeF0dd08	15.7℃	41.5%	0	2020-12-28 12:43:43
11	24e124127a274865	24e124fffeF0dd08	15.5℃	41%	0	2020-12-28 12:13:43
12	24e124127a274865	24e124fffeF0dd08	15.3℃	41%	0	2020-12-28 11:43:43
13	24e124127a274865	24e124fffeF0dd08	15℃	40.5%	0	2020-12-28 10:43:44
14	24e124127a274865	24e124fffeF0dd08	14.9℃	40.5%	0	2020-12-28 10:13:44
15	24e124127a274865	24e124fffeF0dd08	14.8℃	40%	0	2020-12-28 09:43:44
16	24e124127a274865	24e124fffeF0dd08	14.7℃	40%	0	2020-12-28 09:13:44
17	24e124127a274865	24e124fffeF0dd08	15.1℃	40%	0	2020-12-28 08:43:43
18	24e124127a274865	24e124fffeF0dd08	15.7℃	40.5%	0	2020-12-28 08:13:43
19	24e124127a274865	24e124fffeF0dd08	15.8℃	40.5%	0	2020-12-28 07:43:43
20	24e124127a274865	24e124fffeF0dd08	15.9℃	40.5%	0	2020-12-28 07:13:44

总记录数: 34 条 共 2 页 第 1 页 第 1 页

Trend analysis diagram



7. Click the left menu permission management submenu to pop up the user list interface, display the user name, user and password and current status, as shown below:

呼伦贝尔历史博物馆监测平台

操作目录

添加用户

序号	标识	用户名	密码	级别	状态	操作
1	20201228162441	admin1	123	管理员	启用	修改 删除
2	20201228162420	admin	11586qq	管理员	启用	修改 删除

总计条数: 2 条 共 1 页 第 1 页

2017 © 郑州凯华实业股份有限公司

The user list can be added, deleted and checked

添加用户

密码	级别
123	管理员

增加用户

请输入用户信息

用户:

密码:

级别:

状态:

确定 关闭

Add users, fill in the corresponding information and click OK to save

修改用户信息

请输入用户信息

帐号: 20201228162441

用户: admin1

密码: 123

级别: 管理员 ▼

状态: 启用 ▼

确定 关闭

Click to modify the user information to modify the user information

Click the delete button to delete the user information

	操作
目	修改 删除
目	修改 删除

8. Click the exit button in the upper right corner to exit the user login and return to the system login page, as shown in the figure below:



Return to the system login page

